Assessment of Natural Hazards

1. CHAPTER OVERVIEW

This chapter evaluates the natural hazards that have or could occur in the county. Initially, 14 natural hazards were identified. They were prioritized and earthquakes, wildland fire, and land subsidence were dropped from future consideration. The remaining natural hazards are described in this chapter. After describing the nature of the hazard, the frequency of occurrence is documented along with its effect on critical facilities, various population groups, and economic sectors. Estimates of economic loss are included when there is enough empirical data to do so.

2. HAZARD IDENTIFICATION

As part of an initial screening process, the steering committee used the methodology developed by Wisconsin Emergency Management¹ to evaluate 14 natural hazards that were initially identified as a potential threat. The members of the steering committee used a group consensus process to assign a numeric value to the factors listed in Table 5-1 to help determine those hazards that warrant the most attention on a countywide basis.

Table 5-1. Hazard Assessment Criteria

Factor	Description
Historical Hazard Frequency	Frequency of past occurrences
Anticipated Hazard Probability	Probability of the hazard occurring again
Historical Health and Public Safety	Degree of past hazard events causing injuries, sickness, and/or deaths
Residential Damage	Degree of past hazard events causing damages to homes
Business Damage	Degree of past hazard events causing damages to businesses
Public Costs	Amount of local, state, and federal funds expended on past hazard recovery activities
Magnitude of Population at Risk	Amount of the area's population still vulnerable to injury, sickness, and/or death
Magnitude of Homes at Risk	Amount of homes still vulnerable to damage
Magnitude of Businesses at Risk	Amount of businesses still vulnerable to damage or interruption of business trade
Magnitude of Public Infrastructure at Risk	Amount of infrastructure that is susceptible to damages

Source: Resource Guide to All Hazards Mitigation Planning In Wisconsin, 2003. Wisconsin Emergency Management

Table 5-2 shows the results of that exercise. The three highest ranked natural hazards are thunderstorms, winter storms, and tornadoes. Given the distance to a known fault line, earthquakes were judged to be of little concern. In addition, given the topography and soils in the county, land failures, including subsidence and mass movement, were judged to be of little concern. Wildland fire was also

Chapter Contents

1. Chapter Overview
2. Hazard Identification
3. History of Weather-Related Events
4. Presidential Declarations
5. Dam Failure
6. Flooding
7. Dense Fog
8. Tornadoes
9. Hailstorms
10. Thunderstorms
11. Winter Storms
12. Extreme Heat
13. Extreme Cold
14. Drought

- 15. Summary of Risk by Jurisdiction
- 16. Summary of Damage Estimates

¹ Resource Guide to All Hazards Mitigation Planning In Wisconsin, 2003. Wisconsin Emergency Management

deemed to be comparatively of low priority. These were removed from further consideration in this plan.

			-				-				
	1 Historical Hazard	2 Anticipated Hazard	3 Historical Health and Public	4 Residential	5 Business	6 Public	7 Magnitude of Population	8 Magnitude of Homes	9 Magnitude of Businesses	10 Magnitude of Public Infrastructure	11
Hazard	Frequency	Probability	Safety	Damage	Damage	Costs	At Risk	At Risk (1,2,3)	At Risk (1,2,3)	At Risk	Overall Score
падаго	(1,2,3)	(1,2,3)	(1,2,3)	(1,2,3)	(1,2,3)	(1,2,3)	(1,2,3)	(1,2,3)	(1,2,3)	(1,2,3)	Score
Thunderstorm	3	3	1	1	1	1	3	3	2	2	20
Flooding – riverine	2	2	2	1	2	3	1	1	2	2	20
Tornado	1	1	1	1	2	2	3	3	3	2	19
Winter storm	1	1	1	1	2	2	3	2	2	1	19
Flooding – stormwater	2	2	1	1	2	3	1	1	1	2	17
Dense fog	3	3	1	1	1	1	2	1	1	1	15
Hail	2	2	1	2	1	1	1	2	2	1	14
Extreme cold	2	2	2	1	1	1	2	1	1	1	14
Excessive heat	2	2	2	1	1	1	2	1	1	1	14
Drought	1	1	1	1	2	1	3	1	1	1	13
Dam Failure	1	1	1	1	1	1	1	1	1	2	11

Table 5-2. Countywide Comparative Analysis of Natural Hazards; Sauk County: 2019

Notes: This matrix is based on a qualitative assessment and is intended to identify those hazards posing the greatest concern.

A low, medium, or high numerical rating of 1, 2, or 3, respectively, is assigned to each criterion and then the ratings for each hazard are totaled.

Column 1 refers to the frequency of past occurrences.

Column 2 refers to the probability of the hazard occurring again.

Column 3 refers to the degree of past hazard events causing injuries, sickness, and/or deaths.

Column 4 refers to the degree of past hazard events causing damages to homes.

Column 5 refers to the degree of past hazard events causing damages to businesses

Column 6 refers to the amount of local, state, and federal funds expended on past hazard recovery activities.

Column 7 refers to the amount of the area's population still vulnerable to injury, sickness, and/or death.

Column 8 refers to the amount of homes still vulnerable to damage.

Column 9 refers to the amount of businesses still vulnerable to damage or interruption of business trade.

Column 10 refers to the amount of infrastructure that is susceptible to damage

Column 11 is the raw score for the hazard.

The nature of the identified hazards are quite different as shown in Table 5-3. Some of the hazards are characteristically localized occurrences, while others could potentially cover the entire county and the surrounding region. Further, some hazards occur with little advance warning and others, such as riverine flooding on larger rivers, can be forecasted with some degree of accuracy several days in advance of the actual event. Some hazards have the potential to occur often, while others occur rather infrequently.

In an effort to keep residents and local officials informed about potential events, the National Weather Service (NWS) issues, outlooks, watches, and warnings for most weather events. NWS mentions the possibility of a hazard in daily message entitled "Hazardous Weather Outlook" (HWO) that is disseminated to the media, posted on its web site, broadcast on NOAA Weather Radio All Hazards, and made available on various computer circuits. An outlook covers possible events seven days out. Confidence factor is about 30 percent for issuance. A message entitled "watch" for most weather hazards is generally issued hours to a couple days in advance of a possible event. Confidence factor is about 60 percent for issuance. It is disseminated to the media, posted on the NWS web site, broadcast on NOAA Weather Radio All Hazards, and made

available on various computer circuits. A "warning" message for most weather hazards has a confidence factor of 80 to 100 percent. It is disseminated to the media, posted on the NWS web site, broadcast on NOAA Weather Radio All Hazards, and made available on various computer circuits.

	· •		
		Amount of	Recurrence
Natural Hazard	Extent	Advance Notification	Interval [1]
Dam Failure	Along affected stream corridor	None to weeks	N/A [2]
Flooding – Riverine	Along affected stream corridor and around lakes	Several days	0.01 [3]
Flooding – Stormwater	Poorly drained areas	Several days	0.01 [3]
Dense Fog	Small pockets in low-lying areas to countywide	Several days	0.7
Tornado	Generally, a linear path up to several miles long	Several days	0.7
Hail Storm	1 square mile and larger	Several days	0.7
Thunderstorm	10 square miles and larger	Several days	0.33
Snow Storm	Countywide	Several days	1.3
Extreme Heat	Countywide	Several days	0.4
Extreme Cold	Countywide	Several days	0.3
Drought - short-lived	Countywide	Several months	10
Drought - long-lived	Countywide	Year	75

Notes:

Recurrence interval is number of events occurring over a period of time.
 It is not possible to define a recurrence interval for this type of hazard
 Based on a 100-year flood

Table 5-4 lists each of the hazards and identifies whether they will have an impact on the critical facilities identified in this plan, noncritical buildings and structures, special populations, the general population, and broadly defined economic sectors.

Table 5-4. General Effects of Natural Hazards on Facilities, Population Groups, and Economic Sectors; Sauk County: 2019

		Dam	Flooding -	Flooding -	Dense	Tornado/			Winter	Extreme	
Critical Facility		Failure	Riverine	Stormwater	Fog	High Wind	Hail	Thunderstorm	Storm	Temperature	Drough
acility with Hazardous Materials		-	D	-	-	D	-	-	-	-	-
nfrastructure	Bridge	D	D	-	-	-	-	-	-	-	-
	Dam	D	D	-	-	-	-	-	-	-	-
	Communication Tower	-	-	-	-	D	-	-	-	-	-
	Electric Facility – Power Plant	-	-	-	-	D	-	-	-	-	-
	Electric Facility – Substation	-	-	-	-	D	-	-	-	-	-
	Natural Gas Facility	-	-	-	-	D	-	-	-	-	-
	Petroleum Pipeline	-	-	-	-	-	-	-	-	-	-
	' Public-Use Airport	-	-	-	1	D	1	1	I.	-	-
	Telephone Facility	-	-	-	-	D	-	-	-	-	-
	Utility Offices/Yard	_	-	-	_	D	-	-	-	_	_
	Water Facility [1]	_	-	_	_	D	_	-	-	_	
	Wastewater Facility	_	_	_	_	D				_	-
Government Facility	Community Center	-	-	-	-	D	- D	-	-	-	-
Sovernment i dointy	Library	-	-	-	-	D	D	-	-	-	-
		-	-	-		D	D	-	-	-	-
	Municipal Garage Municipal Office and Other	-	-	-	-	D	D	-	-	-	-
		-	-	-	-			-	-	-	-
	Post Office	-	-	-	-	D	D	-	-	-	-
	Senior Center	-	-	-	-	D	D	-	-	-	-
lealth Care Facility	Health Care Clinic	-	-	-	-	D	D	-	-	-	-
	Hospital	-	-	-	-	D	D	-	-	-	-
Public Safety Facility	EMS Facility	-	-	-	-	D	D	-	-	-	-
	Fire Station	-	-	-	-	D	D	-	-	-	-
	National Guard Facility	-	-	-	-	D	D	-	-	-	-
	Police Station	-	-	-	-	D	D	-	-	-	-
School	K-12	-	-	-	-	D	D	-	-	-	-
	Secondary	-	-	-	-	D	D	-	-	-	-
Special Care Facility - Residential	Adult Family Home	-	-	-	-	D	D	-	-	-	-
	Community Based Residential Facility	-	-	-	-	D	D	-	-	-	-
	Nursing Home	-	-	-	-	D	D	-	-	-	-
	Residential Care Apartment Complex	-	-	-	-	D	D	-	-	-	-
Special Care Facility - Nonresidential	Adult Day Care	-	-	-	-	D	D	-	-	-	-
	Group Day Care	-	-	-	-	D	D	-	-	-	-
/ulnerable Housing	Mobile Home Park	-	-	-	-	D	D	-	-	-	-
	Campground	-	-	-	-	D	D	-	-	-	-
Noncritical Buildings/Structures		-	-	-	-	D	D	-	-	-	-
Population Groups											
General Public		-	-	-	-	D		-		I	I
Elderly and People with Disabilities		-	-	-	-	-	-	-	-		-
Homeless		-	-	_	-	_	-	D	D	D	-
								D	5	2	
Economic Sector											
Agriculture		-	D	D	-	-	D	I	-	I	D
Commercial		-	-	-	-	-	-	-	-	-	I
ndustrial		-	-	-	-	-	-	-	-	-	-
Fransportation		_	-	-	_	-	_	-	-	_	-

Notes: 1. Types of facilities included in this category include wells, towers, and treatment plants

Key: - No or minimal effect; I - Indirect Effect; D - Direct Effect

3. HISTORY OF WEATHER-RELATED EVENTS

Table 5-5 presents a summary of weather-related events occurring in Sauk County and surrounding region since 1950 as documented by the National Weather Service (NWS). A complete list of weather events is listed in Appendix G. It should be noted that for excessive cold and heat and winter storms, the data for direct deaths and injuries, property damage, and crop damage is for the county and the surrounding region. It also appears that crop damage as documented by the NWS is under reported.

Out of all of the weather-related events, temperature extremes have caused the highest number of deaths and injuries. Tornadoes caused the next highest number of injuries. In terms of monetary loss, flooding has caused the most damage to property and crops. Widespread heavy rains across central and southeast Wisconsin for the period of June 9-12, 2004 resulted in flooding in all affected areas. Many streams and rivers were at or above flood stage for a good part, or most of the month of June and continuing into the early part of July. Damage from this flooding resulted in \$251.6 million in loss to both property and crops.

Thunderstorms have occurred with the highest frequency— about 2.7 times a year. Hail and winter storms were the next most common weather-related event. Flooding, lightning, severe winter weather and tornadoes have about the same recurrence interval.

(Septemb	er 30, 2018)				
		Direct	Direct	Property	Crop
Type of Event	Number	Deaths	Injuries	Damage	Damage
Dense Fog	63	0	0	0	0
Drought	18	0	0	0	300,000
Excessive Heat	3	0	0	0	0
Extreme Cold/Wind Chill	5	0	0	3,000	0
Flash Flood	30	0	0	34,558,000	25,882,000
Flood	29	0	0	16,512,000	11,346,000
Funnel Cloud	4	0	0	0	0
Hail	131	0	0	984,000	438,000
Heat	28	0	0	0	0
Heavy Rain	11	0	0	6,000	0
Heavy Snow	13	0	0	0	0
High Wind	6	0	0	141,000	50,000
Ice Storm	2	0	0	300,000	0
Lightning	10	0	1	1,996,000	0
Strong Wind	26	0	0	91,000	0
Thunderstorm Wind	200	0	0	2,422,000	546,500
Tornado	23	0	13	6,544,000	530,000

 Table 5-5.
 Summary of Weather-Related Events, Sauk County: 1950 - 2018 (September 30, 2018)

Source: National Climatic Data Center database accessed on January 15, 2019

https://www.ncdc.noaa.gov/stormevents/choosedates.jsp?statefips=55%2CWISCONSIN

4. Presidential Declarations

Since 1965, there have been 38 declarations issued for Wisconsin. Sauk County was included in four disaster declarations and one emergency declaration.

Major Disaster Declaration A major disaster declaration was issued for Sauk County, along with other counties, in 2000, 2007, 2008, and 2018 (Table 5-6).

Emergency Declaration In 2005, an emergency declaration was issued for all 72 counties in the state as part of the nationwide response to Hurricane Katrina.

Fire Management Assistance Declaration No fire management assistance declarations have been issued for Sauk County.

Table 5-6. Presidential Disaster Declarations, Sauk County: 1965 through 2018

			Number of Counties	
			Ву Туре	of Assistance
Major Disaster	Year	Description	Public	Individual
FEMA	1993	Flooding	[1]	[1]
FEMA-1332-DR	2000	Severe storms, tornadoes, flooding	12	3
FEMA-1719-DR	2007	Severe storms, tornadoes, flooding	5	0
FEMA-1768-DR	2008	Severe storms, tornadoes, flooding	28	29
FEMA-DR-4402	2018	Severe storms, tornadoes, straight- line winds, flooding and landslides	4	13
Emergency				
FEMA-3249-EM	2005	Hurricane Katrina evacuation	72	0

Fire Management Assistance

None

Source: Federal Emergency Management Agency (<u>http://www.fema.gov/news/disasters.fema</u> accessed November 2018) and Wisconsin Emergency Management Notes:

Data not available

Denied Applications for Presidential Disaster Declaration The County's application for a presidential disaster declaration has been denied on two occasions (Table 5-7).

Table 5-7. Denied Applications for Presidential Disaster Declarations; Sauk County: 1965 through 2018

1996Flooding, severe storm1998High winds, severe storms	Year	Description
1998 High winds, severe storms	1996	Flooding, severe storm
	1998	High winds, severe storms

Source: Wisconsin Emergency Management and Sauk County Emergency Management

5. Dam Failure

Profile

A dam failure involves the uncontrolled release of impounded water when the structure fails. A dam can fail because of excessive rainfall or melting snow, poor construction or maintenance, flood damage, earthquake activity, weakening caused by burrowing animals, vegetation, surface erosion, vandalism, or a combination of factors. When a dam does fail, the impounded water flows unimpeded and, depending on what development is located downstream, can potentially cause significant property damage and loss of life.

According to the Department of Natural Resources, there were 175 dams in the county (Table 5-8). Of that number, 128 remain active in that they impound some water. The others were abandoned or were otherwise destroyed (20), no longer impound water (23), or have been permitted but have not been built yet (3).

Most of dams in the county were "millpond" dams that were built more than 80 years ago. There were also small dams for watering livestock and various recreational ponds around the county. Sauk County owns two dams, White Mound, put in to control flooding on the Honey Creek Watershed, and Lake Redstone, a recreational lake near La Valle. Two electric power-generating dams were also located in Sauk County.

If any of the mill type dams failed, the runoff would hardly be noticed downstream. The electric power generating dams within the county are of the greatest concern, but consistent maintenance keeps them in good repair. Failure of dams in Juneau and Adams counties could cause flooding in the northeast corner of Sauk County.

HISTORY OF PAST OCCURRENCES

According to the Wisconsin Department of Natural Resources, there were about 3,800 dams in the state. Between 1990 and 1995, 75 dam failures were documented, many of which resulted from the flooding that occurred statewide in 1993. In Sauk County, there are no documented dam failures of significance. Although the Lake Delton Dam did not fail, County Highway A in the Village of Lake Delton washed out in 2008, causing Lake Delton to empty into the Wisconsin River.

Vulnerability Assessment

Over the years, 20 dams in the county were removed or have fallen into disrepair and do not currently impound water (Table 5-9). Of the 128 dams that remain intact, 24 are classified as large, 102 are small, and 2 are unclassified.

A failure of a small dam would likely not cause damage. Given the amount of water impounded behind a large dam, dam failure is a concern in varying degrees. Dams are also classified based on the threat to downstream property if a dam failed as specified in Section 333.06, Wisconsin Administrative Code. A dam rated as a high hazard indicates that a failure would most probably result in the loss of life. A significant hazard indicates that a dam failure could result in appreciable property damage. A low hazard rating is assigned to dams where a

Table 5-8. Dams; Sauk County: 2010

Status	Number
Abandoned or destroyed	20
Active	128
No longer impounding water	23
Planned or not built	3
Total	175
Source: Wisconsin Department	of Natural

Resources, data accessed April 2010

dam failure would result in only minimal property damage and where loss of life is unlikely. Of the 24 existing large dams, 4 are classified as high and 20 are low (Table 5-10).

Table 5-9.	Abandoned Dams; Sauk County: 2010					
DNR						
ID	Official Name	Municipality	Stream Name			
189	Waterworks Dam	City of Baraboo	Not specified			
296	Linen Mill	Town of Greenfield	Baraboo River			
297	Oak Street Dam	City of Baraboo	Baraboo River			
298	La Valle Dam	Village of La Vallle	Baraboo River			
1455	Fort Dells	-	Not specified			
2736	Kindschi, Dam	-	Not specified			
4316	Tucker Dam	-	Baraboo River			
4317	Coles Mill dam	-	Narrows Creek			
4318	Rathburn Dam	-	Big Creek			
4319	Falkenstern Dam	-	Rowley Creek			
4320	Island Woolen Dam	-	Baraboo River			
4321	Konkesl Dam	-	Rowley Creek			
4322	Ironton Dam	-	Little Baraboo River			
4323	Loganville Dam	-	Narrows Creek			
4324	Witwen Dam	-	Honey Creek			
4325	Reedsburg Dam	-	Baraboo River			
4326	Lodde's Dam	-	Honey Creek			
4327	Black Hawk Dam	-	Honey Creek			
4328	Sarrington's Dam	-	Dell Creek			
4329	Bear Creek Dam	-	Honey Creek			

Source: Wisconsin Department of Natural Resources, data accessed April 2010

Section NR 333.07 (3) of the Wisconsin Administrative Code mandates that owners of a large dam or a dam that poses a threat to life or property must prepare an emergency action plan (EAP). An EAP is a document that identifies potential emergency conditions at a dam and procedures to be followed to eliminate the loss of life and minimize downstream property damage. When drafting an EAP, the dam operator must consult with the local units of government that lie downstream of the dam as well as the county emergency management department. An EAP has been prepared for four dams (Table 5-10). The status of the EAP for the Delton Dam is not known. This table also indicates in which municipality the dams are located.

Table 5-10. Large Dams; Sauk County: 2010

						Status of
DNR				Hazard Rating	Impoundment	Emergency
ID	Official Name	Municipality	Ownership	Code [1]	Size (Acres)	Action Plan
30	Prairie du Sac Dam	Town of Prairie du Sac	Utility	High	9,000	2010
56	Dell Creek Dam	Village of Lake Delton	Village	High	267	Not known
190	Delton Dam	Village of Lake Delton	County	High	137	Current
191	Leland Dam	Town of Honey creek	Private	Low	14	NA
193	Dutch Hollow Lake	Town of La Valle	Private	Low	125	2010
381	Plain Honey Creek 4	Town of Franklin	County	Low	15	NA
382	Plain Honey Creek 3	Town of Franklin	County	Low	104	NA
418	Magruder Dam	Town of Woodland	Private	Low	4	NA
456	Satterlee Dam	Town of Woodland	Private	Low	4	NA
480	Steinhorst and Coughlin Dam	Town of Freedom	Private	Low	6	NA
497	Plain Honey Creek 2	Town of Franklin	County	Low	0	NA
568	Huey Duck Lake	Town of Excelsior	Private	Low	15	NA
653	Lake Redstone	Town of La Valle	County	High	37	Current
654	Dells Manor Dam	Village of Lake Delton	Private	Low	34	NA
815	Long Lake Flowage Dam	Town of Spring Green	WI-DNR	Low	10	NA
816	Bakkens Pond Dam	Town of Spring Green	WI-DNR	Low	60	NA
829	Virginia Lake Dam	Town of Excelsior	Private	Low	35	NA
830	Polk Dam	Town of Woodland	Private	Low	3	NA
846	Marking Dam	Town of Dellona	Private	Low	15	NA
896	Sensnovis Dam	Town of Woodland	Private	Low	4	NA
899	Stolte Dam	Town of Reedsburg	Private	Low	7	NA
954	Lake Dellona	Town of Dellona	Private	Low	4	NA
956	Hemlock Dam	Town of La Valle	County	Low	12	NA
4837	Lake of the Dells	City of Wisconsin Dells	Private	Low	14	NA

ource: nent of Natural Resources, data accessed April 2010 Notes:

 Key: High - loss of life likely should dam fail; Significant - significant property damage is likely; Low - neither loss of life or property will occur
 The Village is in the process of working with the Wisconsin Department of Natural Resources on the removal of this dam. It is anticipated that it will be removed during the winter of 2009/2010.

3. Data unknown

Effects on Facilities - Because a dam break analysis has not been conducted on any of the dams in Sauk County, it is not possible to determine what effects would occur.

Effects on Population Groups – A dam failure would not disproportionately affect the elderly, people with disabilities, or the homeless.

Effects on Economic Sectors - Although a dam failure could damage individual structures, it likely would not affect the overall economy of the area or any particular economic sector.

Effects on New Development – Communities have the opportunity through the land division process to ensure that new development does not occur within defined dam inundation areas.

6. FLOODING

Profile

Riverine flooding occurs when a stream, lake, or other body of water overflows its banks onto normally dry land. Stormwater flooding occurs when stormwater pools in normally dry depressions in the land. Flooding can develop slowly over a period of days, but can also occur within a few hours in some watersheds with narrow stream channels.

Flooding that occurs in the spring due to snowmelt or during a period of heavy rain is characterized by a slow build-up of flow and velocity in rivers and streams over a period of days. This buildup continues until the river or stream overflows its banks for as long as a week or two then slowly recedes. Generally, the timing and location of this type of flooding is fairly predictable and allows ample time for evacuation of people and property.

For prediction and warning purposes, floods are classified by the National Weather Service into two types: those that develop and crest over a period of approximately six hours or more and those that crest more quickly. The former are referred to as "floods" and the latter as "flash floods." Flash flooding occurs solely from surface run-off as a result of intense rainfalls. Flash flooding occurs less frequently in Wisconsin than flooding associated with spring snowmelt. This type of flooding, however, is generally unpredictable. These are a particular concern in Sauk County because the topographical profile of the county is generally flat.

Terms commonly used when referring to flooding are "100-year flood" and "flood plain." A 100-year flood is defined as the flood water level that can be expected to occur or to be exceeded in a given location once every 100 years. There is a one percent chance of a flood of such magnitude or greater occurring in any given year. The DNR, working with local zoning offices, has designated floodplain areas as those places where there is the greatest potential for flooding.

Vulnerability Assessment

Staff with Wisconsin Emergency Management conducted a vulnerability assessment of flooding in the county using the HAZUS-MH MR3 program released in July 2007. As part of this analysis, the bundled aggregated general building stock was updated to Dun & Bradstreet 2006 and building valuations were updated to R.S. Means 2006. Building counts based on census housing unit counts (as opposed to calculated building counts) are available for RES1 (single-family dwellings) and RES2 (manufactured housing). The site-specific inventory (specifically schools, hospitals, fire stations, emergency operation centers, and police stations) was updated using the best available statewide information.

HAZUS-MH was used to generate the flood depth grid for a 100-year return period calculated by clipping the USGS 30m digital elevation model to the DFIRM boundary. The most damage occurs near the Baraboo and Wisconsin rivers. Exhibit 5-1 depicts the flood boundary generated by HAZUS-MH.




Exhibit 5-1. HAZUS-MH Analysis 100-Year Flood; Sauk County

HISTORY OF PAST OCCURRENCES

Documentation of historic flooding is available from the following sources:

- presidential disaster declarations
- insurance claim records from the Federal Flood Insurance Program
- National Weather Service
- flood accounts derived from various authoritative sources

Presidential Disaster Declarations – Since 1965, there have been four presidential declarations in Sauk County, all of which were flood related (Table 5-6). Presidential disaster declarations were issued in Sauk County for flooding in 2000, 2007, 2008, and 2018.

National Flood Insurance Program Claims In 1968, Congress adopted the National Flood Insurance Act, which among other things created the National Flood Insurance Program (NFIP). This federal program allows property owners to purchase flood insurance if their community participates in the program. Those homeowners with mortgages backed by a federal program must purchase flood insurance when their property is located in the regulatory floodplain. All county residents are eligible to purchase flood insurance because all of the jurisdictions participate in the program.

The number of paid claims for flood damage under the NFIP is a good indicator of the extent of flooding in a community and the number of affected properties. From 1978 through September 2018, 201 insurance claims were paid in Sauk County for a total of \$5 million (Table 5-11). About half of the payments have been made to policyholders in the city of Reedsburg. Policyholders in the village of Rock Springs received the second largest amount (\$1.1 million).

Table 5-11. National Flood	Table 5-11. National Flood Insurance Program Claims by Jurisdiction; 1978 - September 2018				
	Total	Closed	Open	Unpaid	Total
Municipality	Losses [3]	Losses [4]	Losses [5]	Losses [6]	Payments [7]
City					
Baraboo	5	4	0	1	\$119,974.05
Reedsburg	76	57	13	6	\$2,439,238.56
Wisconsin Dells [1]					
Village					
Cazenovia [1]	0	0	0	0	0
Ironton	0	0	0	0	0
La Valle	14	6	8	0	\$319,209.41
Lake Delton	0	0	0	0	0
Lime Ridge	0	0	0	0	0
Loganville	0	0	0	0	0
Merrimac	0	0	0	0	0
Plain	0	0	0	0	0
Prairie du Sac	0	0	0	0	0
North Freedom	4	1	3	0	\$142,742.08
Rock Springs	40	26	4	10	\$1,186521.55
Sauk City	1	1	0	0	\$1,121.67
Spring Green	0	0	0	0	0
West Baraboo	1	1	0	0	\$7,402.72
Unincorporated Sauk County	60	41	6	13	\$835,023.42
Total	201	137	34	30	\$5,051,233.46

Source: National Flood Insurance Program, Federal Emergency Management Agency (http://bsa.nfipstat.com/reports/1040.htm#55)

Notes:

1. Municipality located in Sauk County and another county; data is for the entire municipality 2. This municipality is not listed as participating or as not participating in the National Flood Insurance Program.

3. All losses submitted regardless of status

4. Losses that have been paid

Losses that have not been paid in full
 Losses that have been closed without payment

7. Total amount paid on losses

Repetitive Loss Properties A property for which two or more National Flood Insurance Program losses of at least \$1,000 each have been paid within any 10year rolling period since 1978 is referred to as a repetitive loss property.

According to the National Flood Insurance Program, there were seven repetitive loss properties in Sauk County (Table 5-12). Requirements of the program stipulate that individual policy information may not be disclosed, including addresses of such properties.

Municipality	Commercial	Residential
	Commercial	Residentia
City		
Baraboo	0	0
Reedsburg	0	3
Wisconsin Dells [1]	0	0
Village		
Cazenovia [1]	0	0
Ironton	0	0
La Valle	0	1
Lake Delton	0	0
Lime Ridge	0	0
Loganville	0	0
Merrimac	0	0
Plain	0	0
Prairie du Sac	0	0
North Freedom	0	2
Rock Springs	0	1
Sauk City	0	0
Spring Green	0	0
West Baraboo	0	0
Unincorporated Sauk County	0	0
Total	0	7

Table 5-12.	Repetitive Lo	ss Properties;	Sauk C	ounty: 2018
-------------	----------------------	----------------	--------	-------------

Source: National Flood Insurance Program Notes:

1. Municipality located in Sauk County and another county; data is for the entire municipality

Historical Events Wisconsin has experienced several major floods during the last two decades. Recent floods revealed that no floodplains or urban areas in Wisconsin can be considered safe from flood damages. Sauk County has experienced 11 major floods and two major flash floods since 1965. In addition, there is usually some localized flooding primarily caused by heavy rainfall, spring runoff, or both.

2008 Flooding² The flood of record for the Baraboo River occurred in 2008. The flood was measured at 872.5 feet in Rock Springs (1-percent-chance elevation of 870.0 feet), 848.8 feet in West Baraboo (848.2 feet), and 814.1 feet in Baraboo (812.5 feet). These elevations equate to approximately a 0.3- percent-chance-annual flood hazard. During this event, the dam on Lake Delton held, but County Highway A in the village of Lake Delton washed out, causing Lake Delton to drain. This washout eroded the shoreline and caused five houses to be washed away downstream into the Wisconsin River (Exhibit 5-2).

² Source: *Flood Insurance Study, Sauk County, Wisconsin and Incorporated Areas*, Federal Emergency Management Agency

Exhibit 5-2. Lake Delton, June 2008



Extensive flooding occurred on July 17, 1993. Flooding caused by precipitation varied considerably by basin. The storm's center remained relatively stagnant, producing an extreme intensity and volume of precipitation. The worst flooding occurred just south of Baraboo on two small, steep tributaries to the Baraboo River. One death occurred and damages were extensive. According to reports from the Wisconsin State Climatologist Office, rainfall near the storm center was in excess of 12 inches in approximately three hours.

Devil's Lake Tributary built up behind two 72-inch corrugated metal pipes under Highway DL until the adjacent railway grade gave way. The washout reacted similar to a dam break and the resulting rapid increase in elevation caused much damage to the north including the Devi-Bara Lodge and Hein-Werner building. There were also washouts to Highway 113 and many driveways along Clark Creek. Vehicles fell into these washouts and resulted in one fatality. The Baraboo River reached an elevation equivalent to a 0.2-percent-annual-chance flood elevation, while Devil's Lake Tributary and Clark Creek exceeded 0.1percent-annual-chance flood elevations. Newspaper reports from several incorporated communities indicate substantial flooding of the Baraboo River in February 1966. During this flood, 2 feet of water was reported over Broadway Street in the village of Rock Springs, and the city of Baraboo reported water 9 feet above flood stage (Exhibit 5-3).

Exhibit 5-3. Reedsburg, June 2008



Major damage to flooded basements was reported as well as an isolated collapse of basement walls. Most bridges on the Baraboo River have sufficient capacity to pass the regional 100-year flood with little backwater effect. The flood stages during February 1966 were increased by ice jams along the river. At the USGS gaging station at County Highway X, east of Baraboo, ice jams increased the flood elevation 1.3 feet higher than with the same discharge and no ice jams. Four major floods, each with a 10-year frequency interval, occurred on the Wisconsin River in April 1920, April 1951, May 1960, and March 1973, in addition to a 25- to a 30-year flood in September 1938. Numerous reservoirs in the headwaters of the Wisconsin River are managed by the Wisconsin Valley Improvement Company to stabilize flow in the Wisconsin River. These reservoirs reduce flood discharges from the areas upstream of the reservoirs. There is a large, uncontrolled drainage area between these reservoirs and Sauk County, so the flood-control effects are greatly reduced.

Three large hydroelectric dams upstream from Sauk County are managed to reduce spring flood peaks. The reservoirs controlled by these dams are partly drained in late winter each year and refilled by May 1. Until June 15, the water-level reservoirs may be permitted to rise one foot above their normal levels to reduce flood discharge. After June 15, the water level in the reservoirs must be maintained within narrow limits, so the reservoirs have no flood-control potential during the summer and fall. Near Portage, about six miles east of Sauk County on the Wisconsin River, large floods will overtop the levees and flow to the Fox River. This will reduce flood peaks downstream, affecting the southern edge of Sauk County. Devil's Lake does not have a natural outlet, however, the lake has gotten high enough on two occasions to overtop its banks and drain towards the Baraboo River via Devil's Lake Tributary. This occurred in July 1993 and June 2008. The 1993 lake elevation was estimated to have a frequency of 0.2 percent-chance-annual flood hazard and the 2008 lake elevation was estimated at less than a 0.1-percent-chance-annual flood hazard.

Table 5-13 lists some of the more recent flooding incidents in Sauk County.

Date	General Location	Description
1978 July	Countywide	\$150,565 property damage
1979 March	Baraboo River	Log jams treatment plant flooded
1980 January	Baraboo River	Ice jams - damage to 6 bridges
1980 July	Baraboo and Wisconsin rivers	Minor home evacuation some crop damage
1989 January	Baraboo River	lce jam - no damage
1990 June	Two thirds of county	\$3,190,700 damage
1992 September	Northern half of county	\$282,000 damage
1993 June	Wisconsin River	Levee Road, included below
1993 June	High water table	Spring Green, included below
1993 July	Flash flood	\$33,243,300 damage and crop loss
1996 June	Flash flood	\$2,418,500 damage & crop loss in the Narrows Creek, Baraboo River area
1999 June	Flash flood	Baraboo and also Leyland
2000 May	Flash flood	Baraboo
2000 June	Flash flood	Countywide
2000 July	Flash flood	Lime Ridge, significant property/crop damage
2001 August	Flash flood	Countywide, significant property damage
2008 June	Countywide	Significant damage to infrastructure, structures, and agricultural land
2018 August	Countywide	Significant damage to infrastructure, structures, and agricultural land

Table 5-13. Recent Flood Events: 1978 through 2018

The July 1993 flood set the most rainfall record in Wisconsin with 7 inches per hour, the Spring Green area received approximately 46 inches that summer. There were 286 houses flooded and 41 with structural damage totaling \$641,000; vehicles \$30,000; industrial and commercial structures \$5.5 million; public property \$2.9 million; crops \$23 million and farm buildings \$169,000. The 2000 floods resulted in around \$3 million damage to homes, businesses and roadway, plus farm fields and crop damage. Presidential declarations have been received for flooding in 1978, 1990, 1992, 1993, 2000, 2007, and 2008.

Clark Creek Flooding – Flooding along Clark Creek south of the city of Baraboo was especially pronounced. As a result of the damage, the Federal Emergency Management Agency initiated a study to evaluate the situation, the results of which are contained in a report titled *Flooding Conditions at Clark Creek and Possible Mitigation*.

Buildings and agricultural land along State Highway 113 experienced flooding from Clark Creek and the highway, which provides principal north-south access, sustained significant damage. In fact, State Highway 113 was closed for more than three months after the June 2008 flood event.

As part of the investigation, the Federal Emergency Management Agency conducted four technical visits to the Clark Creek area as well as several non-technical visits. The technical teams included hazard mitigation specialists, floodplain managers, geologists, and professional engineers.

Most at-risk assets were located in the lower reach. Approximately 60 buildings (residential / non-residential) along Clark Creek were determined to be at risk

from flooding or bank collapse. Most of the structures at risk from flooding are located within two miles of the Clark Creek – Baraboo River confluence. At least one residential structure is at risk from bank collapse.

The analysis showed that a number of culverts are not properly aligned with the current stream channel causing water-borne debris to form dams at the culvert crossings. If not corrected, this will restrict and probably reroute the stream. A portion of Tower Road in the upper Clark Creek watershed is at considerable risk. It appears that the culvert is under sized and/or poorly maintained.

According to the report, resolving the Clark Creek flood problem must be accomplished at the local level and include an analysis of physical and geological settings. The study considered various options including the following:

- Stabilization of the banks to pre- 1993 conditions
- Realignment of the channel of Clark Creek
- Installation of flow diverters in channel of Clark Creek
- Construction of sediment-catchment basins along the stream
- Construction of a dam at the Clark Creek headwaters
- Construction of an emergency spillway at Maxwell farm
- Realignment of Highway 113
- Replacing culverts at the Maxwell far m with a bridge
- Replacing culverts at Maxwell farm with a low water crossing -
- Realignment of the culverts.
- Installation of debris barriers at entrances to culverts
- Installation of perforated standpipes in lieu of the standard culverts
- Acquisition
- Relocation
- Elevation / flood-proofing of structures

Flood and siltation problems in the lower reach of Clark Creek cannot be resolved without mitigating up-stream causes. Debris dams are particularly problematic. Removing woody debris from the upper reaches of Clark Creek may be one of the few cost-effective options. The study concluded that a detailed watershed study be conducted by the U.S. Department of Agriculture (USDA) through the Natural Resources Conservation Service (NRCS). Either the Emergency Watershed Protection Program or Flood Prevention Program would be adequate in evaluating the given situation. In undertaking these studies, scientific as well as engineering principles can be evaluated / incorporated into the final corrective action plan. This will ensure that all environmental considerations will be adequately addressed and supported.

2018 Floods

The heavy rain started on the evening of August 27, 2018 and stooped in the early morning hours of August 28, 2018. Sauk County received approximately 3 - 6 inches of rain. Upstream of the Baraboo River received approximately 8 - 10 inches of rain in Vernon and Juneau County. Water started to rise rapidly in the Baraboo River basin causing a tremendous sandbagging response to mitigate damage. Sauk County declared a state of emergency on August 29, 2018. Sauk County received DR-4402 Presidential disaster declaration for Individual Assistance and Public Assistance on October 17, 2018.

On August 29, 2018 the Hillsboro dam, which feeds into the Baraboo River above LaValle, breached. This caused additional water to enter the Baraboo River basin. The water reached 27.7 feet in Rock Springs (28.5 feet in 2008) on

August 30, 2018 and the slowly started to recede. Approximately 400 homes and 50 businesses were impacted by the flood for an estimated damage total of \$15 million.

Residents started to clean out their impacted properties as the water slowly receded. In the late evening of September 2, 2018, heavy rain returned to Sauk County. The LaValle area received approximately 7-8 inches of rain. The rain was not forecasted and was a surprise. This again caused the River to start rising rapidly and started another round of sandbag operations. During this period, we had one death due to a man falling on broken steps by Lake Redstone. The stairs were part of his property. The water eventually rose to 26.76 feet in Rock Springs.

More homes were impacted during this flood along the Baraboo River even though the peak water was lower. Homes had water in them this year and had had not been impacted in the 2008 flood. There were no issues with the Wisconsin River during the flooding period.

The Department of Natural Resources Incident Management Team came in to assist in volunteer management. Samaritan's Purse, Southern Baptist's, and other religious organizations came to Sauk County to assist with the flood clean up.

A long-term recovery committee was established to assist in unmet needs. A donation fund was set up with the Greater Sauk Community Foundation on August 28, 2018.

An emergency operations center was opened on August 28, 2018 and remained open until September 13, 2018. County staff and volunteers manned the phones and did data collection related to flood damage. There was a mental health professional in the Emergency Operations Center (EOC) as well to triage calls that needed assistance.

Vulnerability Assessment

Areas within Sauk County that are susceptible to riverine flooding include those areas in close proximity to the Wisconsin River, the Baraboo River, and the multiple creeks and streams that actively flow year-round and are within or near the floodplain of these waterways. Flash flooding can occur anywhere in Sauk County where a significant amount of rainfall happens in a short amount of time. Lower, flat areas and depressions as well as those areas with poor infiltration capacity or inadequate drainage have a higher susceptibility to flash flood events. Roadways are where many people encounter flash flooding.

Sauk County has a high probability for flash flooding in certain areas of the county. The percentage chance of at least one flash flood event per year is estimated at 80 percent. Riverine flooding has improved with the removal of the dam on the Baraboo River; there remains areas that are subject to flooding after heavy rains or spring runoff. The chance of riverine flooding is estimated at 40 percent in a given year.

Flash flooding caused by snowmelt or heavy rain occurs regularly in some of the watersheds in Sauk County. Heavy rains or snowmelt north of Sauk County can cause river or overbank flooding anytime during the year.

Effects on Facilities –Essential facilities encounter the same impacts as other buildings within the flood boundary: structural failure, extensive water damage to the facility, and loss of facility functionality (i.e., a damaged police station will

no longer be able to serve the community).

The HAZUS-MH analysis identified two fire stations, two schools, and one police station that may be subject to flooding. A list of the essential facilities within Sauk County is included in Table 5-14. Maps of essential facilities potentially at risk of flooding are shown in Exhibits 5-4, 5-5, and 5-6.

Class	Total	At Least Moderate Damage	At Least Substantial Damage	Loss of Use
Care Facility	9	0	0	0
Emergency Operations Center	1	0	0	0
Fire Station	13	2	0	0
Police Station	12	1	0	0
Schools	43	2	0	0
Total	78	5	0	0

Table 5-14. Sauk County Essential Facility Loss – 100-Year Flood

Source: Wisconsin Emergency Management




Exhibit 5-4. 100-Year Flood Boundary Overlaid with Essential Facilities; Village of Sauk City



Exhibit 5-5. 100-Year Flood Boundary Overlaid with Essential Facilities: Village of La Valle




Exhibit 5-6. 100-Year Flood Boundary Overlaid with Essential Facilities: City of Reedsburg

Effects on Population Groups – There are no population groups that are especially vulnerable to flooding except to the extent older homes, which were built prior to floodplain regulations, are occupied by lower income residents.

HAZUS-MH estimates the number of households expected to be displaced from their homes due to flooding and the associated potential evacuation. HAZUS-MH also estimates those displaced people that will require accommodations in temporary public shelters. The model estimates 1,193 households will be displaced due to a 100-year flood. Displacement includes households evacuated from within or very near to the inundated area. Of these, 1,696 people (out of a total population of 55,225) will likely seek temporary shelter in public shelters.

Effects on Economic Sectors – While flooding can impact a number of economic sectors, the agricultural sector is the most vulnerable. Aside from damaging farm buildings, flooding can destroy crops and reduce crop yields for surviving crops. In addition, harvesting crops on wet soils causes soil compaction that reduces crop yields in subsequent years. Heavy rains, which are often associated with flooding, cause a considerable amount of soil erosion on unprotected soils.

Damages sustained by businesses in the county are primarily a direct reflection of the agricultural production losses. The effects of the agricultural base extend throughout the county. Farming supports a variety of farm (e.g., implement dealers, feed stores, granaries) and non-farm related (e.g., grocery stores, hardware stores) businesses.

Other Effects – During periods of flooding, no-wake boating restrictions are imposed which limit recreational uses, but are needed to protect shorelines from erosion. Road closures do occur, and in some cases cause a significant impediment to the flow of traffic within and through the county.

Effects on New Development – All new development in the unincorporated parts of the county and in the municipalities is subject to local floodplain regulations. Therefore, all new buildings in the regulated floodplain will meet or exceed adopted development standards, which are designed to afford a reasonable level of protection from floodwaters. In addition, communities have the opportunity through the subdivision review process to ensure that new projects are not susceptible to flooding that may result from the ponding of storm water.

Estimated Damage

Based on an analysis using HAZUS-MH, it is estimated that during a 100-year flood event in Sauk County 221 buildings would be impacted with damage totaling \$53 million in building losses and \$134 million in economic losses. The total estimated number of damaged buildings, total building losses, and estimated total economic losses are shown in Table 5-15.

	E d'an de d	T .(.)	Total	T .(.)	Total
General	Estimated Number of	Total Damaged	Building Exposure	Total Economic	Building Loss
Occupancy	Buildings	Buildings	(1000)	Loss (1000)	(1000)
Agriculture	2	0	\$69,573	\$3,471	\$935
Commercial	241	1	\$863,224	\$48,375	\$11,341
Education	0	0	\$67,359	\$2,048	\$317
Government	5	0	\$26,031	\$2,175	\$269
Industrial	27	0	\$300,852	\$15,160	\$3,756
Religious/Non-Profit	14	0	\$76,361	\$5,967	\$786
Residential	20,539	220	\$3,305,908	\$57,343	\$35,845
Total	20,828	221	\$4,709,308	\$134,539	\$53,249

Table 5-15. Effects of a 100-Year Flood Event; Sauk County: 2010

Source: Wisconsin Emergency Management

HAZUS-MH estimated 25 census blocks with losses exceeding \$1 million. The distribution of losses is shown in Exhibit 5-7.

HAZUS-MH aggregate loss analysis is evenly distributed across a census block. Census blocks of concern should be reviewed in more detail to determine the actual percentage of facilities that fall within the flood hazard areas. The aggregate losses reported in this study may be overstated. Examples are provided in Exhibit 5-8 and 5-9.

A countywide 100-year flood could potentially cause more than \$53 million in damage to buildings. The reported building counts should be interpreted as degrees of loss rather than as exact numbers of buildings exposed to flooding. These numbers were derived from aggregate building inventories, which are assumed to be dispersed evenly across census blocks. HAZUS-MH requires that a predetermined amount of square footage of a typical building sustain damage in order to produce a damaged building count. If only a minimal amount of damage to buildings is predicted, it is possible to see zero damaged building counts while also seeing economic losses.




Exhibit 5-7. Sauk County Total Economic Loss - 100-Year Flood

Exhibit 5-8 shows census blocks overlaid with the flood boundary and orthophoto near Spring Green along the Wisconsin River. Census block 551110008002041 has an estimated building loss of \$265,000 with a combined replacement cost of \$572,000. The overlay of the flood boundary with the aerial photo shows that no buildings are at risk.

Table 5-16 Flood-Damaged Essential Facilities Sauk Prairie Police Department

Baak I faille I blibe Department
Sauk City Fire Department
La Valle Fire Department
South Elementary
Pleasant River School

Source: Wisconsin Emergency Management





Exhibit 5-8. Flood Damage Exposure in Spring Green

Exhibit 5-9 shows census blocks overlaid with the flood boundary and orthophoto of Reedsburg. Census block 551110010005006 has an estimated building loss of \$500,000 and a combined replacement cost of \$1.65 million.

Exhibit 5-9. Flood Damage Exposure in Reedsburg



7. DENSE FOG

Profile

Fog is a visible concentration of small water droplets suspended in the air at the earth's surface that obscures visibility to less than one kilometer. It forms when air temperature falls to its dew point, which is the temperature at which air is holding as much moisture as it can. When air reaches its dew point, it condenses into very small water droplets.

HISTORY OF PAST OCCURRENCES

Fog can form throughout the year, but is most common from September through April. As shown in Appendix G, there have been 63 reported occurrences of fog in Sauk County since 1950. In Sauk County, fog tends to cover large areas.

VULNERABILITY ASSESSMENT

Effects on Facilities – Fog does not damage or impair the operation of facilities.

Effects on Population Groups – Fog does not negatively affect any population group.

Effects on Economic Sectors – Fog impairs visibility and can hamper ground and air transportation. When visibility is decreased, the potential for motor vehicle crashes increase as does the possibility of an airplane accident on landing or take off.

Effects on New Development – Dense fog does not affect buildings, whether current or future.

ESTIMATED DAMAGE

Based on historical data, dense fog events do no cause or result in property damage.

8. TORNADOES

Profile

A tornado is a violently rotating column of air extending from the ground to the base of a convective cloud. The tornado may or may not have a visible condensation funnel (commonly referred to as a "funnel cloud"), which may or may not extend from the cloud base all the way to the ground. In the absence of a visible condensation funnel, a severe weather spotter can determine they are looking at a tornado if they observe cloud-base rotation superimposed over rotating dirt and debris at ground level. Wind speeds in a tornado typically range from 80 mph to 150 mph, but on occasions, reach speeds in excess of 200 mph. There have been documented tornado winds exceeding 300 mph outside of Wisconsin. The majority of damage resulting from a tornado occurs within one-eight mile of the tornado's path, which characteristically does not exceed 16 miles. In fact, the average path length of tornadoes in Wisconsin for the period of 1950-2005 was 5.8 miles with a duration of about 10 minutes. Tornadoes with track lengths greater than 150 miles have been reported in Wisconsin, although they are quite rare.

Tornadoes are visible because low atmospheric pressure in the vortex leads to cooling of the air by expansion with condensation and formation of water droplets. They are also visible as a result of the airborne debris and dust associated with the vortex. The destructive power of the tornado lies primarily in its high horizontal winds, a built-in upward-lifting force, and airborne debris impacting structures (collectively resulting in about 95 percent of the damage). To a much lesser degree, air pressure differences associated with a tornado result in additional damage. Years ago, it was assumed that air pressure differences accounted for a large portion of the damage, however, it is now realized that most buildings have enough air leakage or infiltration so that most of the air pressure differences between the inside and outside of a structure are minimized as the tornado approaches. Since tornadoes are usually associated with organized storm systems that consist of several thunderstorm cells of varying intensity, large hail, torrential rain, and intense lightning usually accompany the storm that spins up a tornado.

Although a tornado can form at any time during the year, the peak tornado season is May through July. They can also occur at any time of the day. The peak hour for tornado initiation is between 6:00 and 7:00 p.m. and the peak hours of occurrence are between 3:00 and 9:00 p.m.

Prior to 2007, the Fujita Tornado Scale was used to estimate the wind speed of a tornado based on damage to structures (Table 5-16). Though the Fujita Scale has 13 ratings (F0-F12), tornadoes never exceed an F5 (261 to 318 MPH). Beginning in 2007, tornadoes are rated using the Enhanced Fujita Tornado Scale, which is essentially the same as the former scale except for the wind speed (Table 5-17).

Table 5-16.	Fujita	Tornado Scale	
		I officiate o outo	

Fujita		
Rating	Wind Speed	Characteristic Damage
F0	40 to 72 mph	Some damage to chimneys, TV antennas, roof shingles, trees, and windows
F1	73 to 112 mph	Automobiles overturned, carports destroyed, and trees uprooted
F2	113 to 157 mph	Roofs blown of homes, sheds and outbuildings demolished, mobile homes overturned
F3	158 to 207 mph	Exterior walls and roofs blown off homes; metal buildings collapsed or are severely damaged; forests and farmland flattened
F4	208 to 260 mph	Few walls, if any, standing in well-built homes; large steel and concrete missiles thrown far distances
F5	261 to 318 mph	Homes leveled with all debris removed; schools, motels, and other larger structures have considerable damage with exterior walls and roofs gone; top stories demolished

Table 5-17. Enhanced Fujita Tornado Scale

Fujita		
Rating	Wind Speed	Characteristic Damage
EF0	65 to 86 mph	Some damage to chimneys, TV antennas, roof shingles, trees, and windows
EF1	86 to 110 mph	Automobiles overturned, carports destroyed, and trees uprooted
EF2	111 to 135 mph	Roofs blown of homes, sheds and outbuildings demolished, mobile homes overturned
EF3	136 to 165 mph	Exterior walls and roofs blown off homes; metal buildings collapsed or are severely damaged; forests and farmland flattened
EF4	166 to 200 mph	Few walls, if any, standing in well-built homes; large steel and concrete missiles thrown far distances
EF5	>200 mph	Homes leveled with all debris removed; schools, motels, and other larger structures have considerable damage with exterior walls and roofs gone; top stories demolished

HISTORY OF PAST OCCURRENCES

Wisconsin lies along the northern edge of the nation's tornado belt that extends northeastward from Oklahoma into Iowa. Winter, spring, and fall tornadoes are more likely to occur in southern Wisconsin than in northern counties. Yet, tornadoes have occurred in Wisconsin during every month except February. Wisconsin's tornado season runs from the beginning of April through September. The most severe tornadoes typically occur during April, May, and June. Many tornadoes strike in late afternoon or early evening. However, tornadoes have occurred at other times. Personal property damage, deaths, and injuries have and will continue to occur in Wisconsin. On average, one person dies from tornado-related injuries each year.

In 2005, Wisconsin had a record of 62 verified tornadoes, including 27 that occurred on August 18, 2005.

In Sauk County, there have been 23 verified tornadoes sine 1844 (Appendix G). More than three quarters of the tornadoes were F0 or F1 (Table 5-18). Prior to 1982 when the National Weather Service began classifying tornadoes, ratings are at best broad estimates, with an accuracy of plus/minus 1.

While there have been no fatalities in any of the Sauk County tornado disasters, there have been events that have caused significant property damage. On July 4, 1994, a tornado passed through the town of Prairie du Sac, town of Merrimac, and part of the village of Merrimac. This tornado caused approximately \$1,030,000 in damages to homes and property. In 1989 and 1984, two tornadoes touched down in the Sauk City area causing \$443,500 and \$1,547,000 worth of damage, respectively.

VULNERABILITY ASSESSMENT

Effects on Facilities – Because tornadoes apparently occur randomly across the landscape, all areas of the county are equally as likely to experience a tornado. Therefore, all of the critical facilities, which have been identified, are at risk.

Effects on Population Groups – Even though all areas of the county are equally likely to experience a tornado, those living in mobile homes or staying in a campground are more vulnerable than those people living in a residence with a basement. In 2018, there were 12 campgrounds, 3 recreational/educational camps, and 13 manufactured/mobile home parks.

Effects on Economic Sectors – While individual businesses may be damaged, the overall economy generally experiences short-term effects of a tornado, if at all.

Effects on New Development – New buildings are no more or less susceptible to the effects of a tornado that are existing buildings.

Estimated Damage

Depending on where a tornado occurs in the county and its magnitude, damage can vary widely from minimal economic damage to tens of millions. Table 5-16 lists the damage caused by each of the tornado ratings. Based on historical occurrences in the county and documented damage estimates, an EF2 tornado would be expected to cause about \$1.2 million in damage to buildings and infrastructure.

Table 5-18. Tornado Frequency: Sauk County: 1950 through 2018

Fujita		
Rating	Number of	Probability of
[1]	Occurrences	Occurrence
F0	11	48%
F1	7	30%
F2	5	22%
F3	0	0%
F4	0	0%
F5	0	0%
Source: N	ational Weather Service	

Source: National Weather Service Notes:

 Refer to Table 5-# for a description of the Fujita ratings

2. Based on data collected by the National Weather Service

Fujita		Range of Damage		Total	Average
Rating [1]	Number	Low	High	Damage	Damage
F0	11	0	\$25,000	\$34,000	\$3,091
F1	7	\$2,000	\$250,000	\$385,000	\$55,000
F2	5	\$25,000	\$5,000,000	\$6,125,000	\$1,225,000
F3	0	-	-	-	-
F4	0	-	-	-	-
F5	0	-	-	-	-

Table 5-19. Tornado Property Damage; Sauk County: 1950 through 2018

Source: National Weather Service Notes:

1. Refer to Table 5-16 and 5-17 for a description of the Fujita ratings

9. HAILSTORMS

Profile

A hailstorm is a weather event where water particles in the upper atmosphere form into round or irregular masses of ice that fall to earth. Hailstones form when sub-freezing temperatures in the upper atmosphere cause water in thunderstorm clouds to accumulate in layers around an icy core. When strong underlying winds no longer can support their weight, the hailstones fall to Earth. The size of hail typically ranges from ¹/₄" up to three inches in diameter. In a rather rare occurrence, a 2006-hail storm in Lake Mills created hailstones with a diameter of 4.25 inches.

Hail tends to fall in swaths that may be 20-115 miles long and 5-30 miles wide. The swath is not normally an even bombardment of hail, but generally consists of a series of hail strikes that are produced by individual thunderstorm clouds traversing the same general area. Hail strikes are typically one-half mile wide and up to five miles long. They may partially overlap, but often leave completely undamaged gaps between them. Hailstorms tend to occur in conjunction with severe thunderstorms.

HISTORY OF PAST OCCURRENCES

Since 1950, there have been 131 documented hailstorm events in the county (Table 5-5).

Vulnerability Assessment

Effects on Facilities – The threat of hail damage increases as the size of the hailstones increase. Hail can break windows, damage roofs and siding, and dent motor vehicles.

Effects on Population Groups – All population segments are equally susceptible to hail storms. Hail storms while resulting in property and crop damage, rarely causes serious injury or loss of life.

Effects on Economic Sectors – Of all the economic sectors, agriculture is the most susceptible to hail damage. When hailstones approach golf ball size, crops are damaged and are not able to recover, resulting in a total loss.

Effects on New Development - Because a hailstorm can occur anywhere in the county, new buildings will not be any more or less affected than current buildings.

Estimated Damage

Based on historical data, hailstorms, while quite numerous, do not cause widespread or significant property damage. For the purposes of this plan, it is estimated that a hailstorm would cause about \$1,500 in property damage per event.

10. Thunderstorms

Profile

Thunderstorms are severe and violent forms of convection produced when warm moist air is overlaid by dry cool air. As the warm air rises, thunderheads (cumulonimbus clouds) form and cause the strong winds, lightening, hail, and rain characteristically associated with these storms. Thunderheads may be a towering mass 6 miles or more across and 40,000 to 50,000 feet high. As much as 1.5 million tons of water may be held in a thunderhead.

A storm event arising for a single thunderhead typically lasts less than 30 minutes in a given location. However, strong frontal systems may spawn more than one squall line composed of many individual thunderheads.

As defined by the National Weather Service, a severe thunderstorm is a thunderstorm event that produces one or more of the following: downbursts with winds of 58 mile per hour or greater, hail $\frac{3}{4}$ of an inch in diameter, or a tornado.

HISTORY OF PAST OCCURRENCES

Out of all the weather-related events in Sauk County, powerful thunderstorms are the most common. They account roughly one-third (32%) of all weather-related events documented since 1950. On average county residents can expect slightly less than three significant thunderstorm events each year (2.7/year). Although thunderstorms can occur throughout the year, they are most common from May through September. Typically, they occur after noon until 10:00 pm.

VULNERABILITY ASSESSMENT

Effects on Facilities – Aside from hail, straight line winds from a thunderstorm can damage property and to a less extent crops. Overhead utility lines are quite susceptible to downed trees and tree branches. Entire neighborhoods and even larger areas can lose power because of a thunderstorm. All areas of the county are equally susceptible to thunderstorms, meaning that all critical facilities are at risk.

Effects on Population Groups – Wind associated with severe thunderstorms can cause injury or loss of life. With the exception of those living in mobile home parks or staying in campgrounds, no population group is uniquely susceptible to a thunderstorm event. Those in mobile homes and campgrounds are at risk from falling trees and branches, and damage to their residence or camper.

Effects on Economic Sectors – Thunderstorms do not affect any economic sector disproportionately more than others.

Effects on New Development – Because a thunderstorm can occur anywhere in the county, new buildings will not be any more or less affected than current buildings.

Estimated Damage

Based on historical data, a severe thunderstorm is expected to cause about \$33,000 in property damage and about \$5,000 in crop damage.

11. WINTER STORMS

Profile

Winter storms include a wide range of weather-related events including snowstorms, blizzards, freezing rain, sleet, and ice storms. Typical snow events produce totals of between one and three inches. On a statewide basis, heavy snowfalls happen on average only five times per winter. Total snow accumulations in central Wisconsin average about 50 inches. Both ice and sleet storms can occur at any time from October into April. They are more common in southern and central Wisconsin than in the northern part of the state.

HISTORY OF PAST OCCURRENCES

Since 1950, there have been 15 winter storm events in Sauk County consisting of blizzard conditions, heavy snow, ice, or sleet.

VULNERABILITY ASSESSMENT

Effects on Facilities – Heavy snow can cause the structural collapse of buildings with flat roofs.

Effects on Population Groups – winter storms affect all population groups equally. People who commute a comparatively long distance are disproportionately affected.

Effects on Economic Sectors – A prolonged winter storm event with a large accumulation of snow can have a short-term effect on the local economy in terms of lost productivity. Transportation-related businesses are often negatively affected when winter weather hits.

Effects on New Development – Because winter storms generally affect the county as a whole, new buildings will not be any more or less affected than current buildings.

Terms Related to Winter Storms

- Heavy snowfall The accumulation of six or more inches of snow in a 12-hour period or eight or more inches in a 24hour period.
- **Blizzard** The occurrence of sustained wind speeds in excess of 35 miles per hour accompanied by heavy snowfall or large amounts of blowing or drifting snow.
- *Ice storm* An occurrence where rain falls from warmer upper layers of the atmosphere to the colder ground, freezing upon contact with the ground and exposed objects near the ground forming an accumulation of at least 1/4" in 12 hours or less.
- Freezing drizzle / freezing rain The effect of drizzle or rain freezing upon impact on objects that have a temperature of 32 degrees Fahrenheit or below.
- **Sleet** Solid grains or pellets of ice formed by the freezing of raindrops or the refreezing of largely melted snowflakes. This ice does not cling to surfaces.

Estimated Damage

The cost of snow removal is incorporated into local government budgets so there is no direct financial impact arising from a winter storm unless the community experiences a prolonged winter season with a high number of snowfall events, such as the 2007-2008 winter when record amounts of snow fell across much of the state.

12. EXTREME HEAT

Profile

Periods of excessive heat, often referred to as heat waves, are quite common in Wisconsin during the summer months. When high temperatures do occur, they cover large areas of the country. Summertime heat and exposure to solar radiation can cause a number of heat disorders ranging from sunburn to heat stroke as described in Exhibit 5-10.

If left untreated, heat stroke can be deadly. About 237 people die from excessive heat every year in the United States. The elderly, small children, chronic invalids, people on certain medications or drugs, and people with weight and alcohol problems are particularly susceptible to heat disorders. The human body dissipates heat by varying the rate and depth of blood circulation, by perspiring, and as a last resort, by panting. Perspiration is an effective way of cooling the body's surface, but as the relative humidity increases, the positive effects of perspiration decline.

The National Weather Service (NWS) devised the Heat Index³ as a way to measure the combined effects of temperature and relative humidity. The Heat Index chart (Exhibit 5-11) also shows when certain physiological responses are commonly seen with prolonged exposure and/or physical activity. As the relative humidity increases, even modest temperatures can cause heat stroke and other less serious heat disorders.

Exhibit 5-10. Heat Disorders and

S	Symptoms				
Heat Disorder	Symptoms				
Sunburn	Redness and pain; in severe cases swelling of skin, blisters, fever, headaches				
Heat Cramps	Painful spasms usually in muscles of legs and abdomen possible; heavy sweating				
Heat Exhaustion	Heavy sweating, weakness, skin cold, pale and clammy; pulse thready; normal temperature possible; fainting and vomiting				
Heat Stroke	High body temperature (106 or higher); hot dry skin; rapid and strong pulse; possible unconsciousness				

Source: National Weather Service, National Oceanic and Atmospheric Administration

³ The Heat Index is sometimes referred to as the apparent temperature.

Air		Relative Humidity (%)											
Temp. °F	40	45	50	55	60	65	70	75	80	85	90	95	100
110	136	-		-	-	-		-	-	-	-	-	-
108	130	137											
106	124	130	137										
104	119	124	131	137									
102	114	119	124	130	137								
100	109	114	118	124	129	136							
98	105	109	113	117	123	128	134						
96	101	104	108	112	116	121	126	132	_				
94	97	100	103	106	110	114	119	124	129	135	-		
92	94	96	99	101	105	108	112	116	121	126	131		_
90	91	93	95	97	100	103	106	109	113	117	122	127	132
88	88	89	91	93	95	98	100	103	106	110	113	117	121
86	85	87	88	89	91	93	95	97	100	102	105	108	112
84	83	84	85	86	88	89	90	92	94	96	98	100	103
82	81	82	83	84	84	85	86	88	89	90	91	93	95
80	80	80	81	81	82	82	83	84	84	85	86	86	87

Exhibit 5-11. Heat Index (Apparent Temperature)

Source: National Weather Service, National Oceanic and Atmospheric Administration

With Prolonged Exposure and/or Physical Activity

Extreme Danger – Heat stroke or sunstroke highly likely

Danger – Sunstroke, muscle cramps, and/or heat exhaustion likely

Extreme Caution – Sunstroke, muscle cramps, and/or heat exhaustion likely

Caution - Fatigue possible

HISTORY OF PAST OCCURRENCES

Based on records maintained by the National Weather Service, there have been 17 reported events with excessive temperatures since 1950 (Appendix G). The most recent event occurred on June 23, 2009 when the county experienced heat index reaching 106 degrees. The southern tier of counties experiences the highest number of heat wave days.

Vulnerability Assessment

From 1986 to 2009, there were 10 years in which at least one or more persons in Wisconsin died from the direct or indirect effects of excessive heat (Table 5-20). A total of 115 people died in the 20-year period from 1986 to 2006. None of the deaths occurred in Sauk County. However, some Sauk County residents most likely received medical treatment for heat-related symptoms.

During that 20-year period, 1995 was the deadliest year when a total of 82 deaths were reported. Two heat waves gripped much of the state. The first occurred in mid-June and the second in mid-July. In the second heat wave, the temperature rose to between 100° F and 108° F with heat indices of 120° F to 130° F.

According to the National Weather Service, the mortality rate from excessive heat in Wisconsin is the highest of all natural disasters – more than four times greater than the second highest cause of death, tornadoes.

Intensely urbanized areas feel the effects of heat waves more than rural areas in that the temperature in urban areas is often elevated because radiant energy is stored in pavement and the exterior building surfaces and is released slowly over a period of time. Even during a heat wave, nighttime temperatures typically drop, but less so in urban areas because these heat reservoirs dissipate the radiant heat collected during the day time. This phenomenon is often referred to as the heat island effect.

Out of all of the natural hazards in Wisconsin, excessive heat is the leading cause of fatalities. Not only are urban areas heat islands, pollutants often build up in the lower atmosphere during periods of excessive heat, causing respiratory problems, especially for the young, the elderly, and those with respiratory ailments such as asthma.

Although the more urban areas of the county experience the heat island effect, the change in the ambient temperature is modest. This is because the urban areas of the county are relatively small and street trees help to deflect solar radiation back into the atmosphere.

Effects on Facilities - Excessive heat does not directly impact critical facilities.

Effects on Population Groups – The elderly are disproportionately affected by heat. For example, during the heat waves of 1995, three-quarters of the fatalities were 60 years of age or older (Table 5-21).

Effects on Economic Sectors – Excessive heat can accompany drought causing a loss of crops. Additionally, some businesses may close or reduce production to minimize heat effects on employees.

Effects on New Development – Most new homes that are being constructed in the area have central air conditioning. As such, those people living in new dwelling units will be less affected by extreme heat than those living in the existing housing stock, some of which do not have air conditioning.

ESTIMATED DAMAGE

Aside from health consequences for county residents, excessive heat does not cause a definable economic loss.

	Fatalities; Wisconsin: 1986 - 2009						
	Direct Indirect						
Year	Deaths	Deaths					
1986	1	0					
1988	1	0					
1993	2	0					
1995	82	72					
1997	1	0					
1999	12	8					
2001	10	5					
2002	3	5					

4

1

95

National Weather Service, Milwaukee -

Table 5-20. Heat-Related

Table 5-21.	Heat-Related United States:	,

Age	Number	Percent
0 – 19	14	1.4
20 – 29	5	0.5
30 - 39	34	3.3
40 - 49	79	7.7
50 – 59	95	9.3
60 - 69	179	17.5
70 – 79	253	24.8
80 - 89	241	23.6
90 and older	61	6.0
Unknown age	60	6.0
Total	1,021	100 [1]

Source: National Weather Service

Notes:

2003

2006

Total

Source:

0

3

115

Sullivan Office

1. Numbers may not add up to 100 due to rounding

13. EXTREME COLD

PROFILE

Periods of extreme cold temperature are common during the winter months in Wisconsin.

HISTORY OF PAST OCCURRENCES

Since 1950, the National Weather Service documented 5 periods of extreme cold, all of which occurring from December through mid-February. The lowest recorded temperature in Sauk County (-45°F) was recorded on January 30, 1951 at the Baraboo weather station (#470516). Based on data collected at the Baraboo weather station, there are on average 25 days with temperatures at or below zero degrees Fahrenheit (Table 5-22).

Vulnerability Assessment

Effects on Facilities – Excessive cold does not directly impact most critical facilities. There may be instances where an extended period of cold causes water pipes in buildings to freeze, and if not corrected, to burst. Underground water laterals often leak because of extreme cold temperatures as the surrounding soil materials expand and contract.

Effects on Population Groups – The elderly are disproportionately affected by cold temperatures. They are often times confined to their home during extended cold periods.

Effects on Economic Sectors – Excessively cold temperatures can accompany winter storm events; which compounds a generally difficult time. Because cold temperatures do not last for an extended period, the effects of excessively cold temperatures are short lived.

Effects on New Development – Periods of extreme cold will not disproportionately affect new development.

Estimated Damage

Aside from health consequences for county residents, excessively cold temperatures do not cause a definable economic loss.

14. Drought

Profile

A drought is an extended period of time when rainfall is significantly below normal amounts. Unlike other natural disasters, it is not known until much later in time, when a drought begins. A drought could last for months, several years, and in extreme conditions, much longer. Droughts are typically accompanied by higher-than-normal temperatures and lower-than-normal relative humidity levels.

Table 5-22.	Temperatu Extremes; Weather 1971-2000	re Sauk Station:
	Number	Number
	of Days	of Days
Month	≥90°F	≤0°F
January	0.0	13.1
February	0.0	8.2
March	0.0	2.4
April	0.0	0.0
May	0.2	0.0
June	2.3	0.0
July	4.4	0.0
August	1.9	0.0
September	0.5	0.0
October	0.0	0.0
November	0.0	0.7
December	0.0	6.9
Source:		

http://mrcc.sws.uiuc.edu/climate_midwest/historic al/temp/wi/470516_tsum.html Some droughts cover entire regions of a continent or can affect a sub-region as small as several counties.

A number of methodologies have been developed to measure droughts from a purely meteorological standpoint. Droughts can also be defined based on the consequences which result. For the purposes of this plan, two types of drought are considered: agricultural and hydrologic. An agricultural drought causes a noticeable drop in crop yields and a hydrological drought causes a drop in lake and stream levels and lowers the height of the ground water table.

Although these two types of droughts can occur at the same time, the negative effects of a drought are first seen on crop production. Hydrologic droughts characteristically lag behind an agricultural drought because it takes time for the lack of precipitation to lower surface and ground water levels. As a result, it is possible for an area to experience a hydrologic drought long after the end of an agricultural drought.

HISTORY OF PAST OCCURRENCES

Agricultural and hydrologic droughts occur in Wisconsin on a regular basis. Since the Dust Bowl, short-lived droughts have occurred on an interval of about once in every ten years. Long-term droughts are more infrequent. Since the Dust Bowl, there have been four significant droughts in the state: 1987-1988, 1976-1977, 1955-1959, and 1948-1950. The most recent occurrence to cause damages in Sauk County occurred during the months of June and July in 2007. During this episode \$100,000 in losses were recorded. The most damaging drought in Sauk County and surrounding region occurred in 2002 when \$4.4 million was reported in lost crops.

In 2005, 2006, and 2007 Governor Doyle declared a statewide drought emergency by executive order so that the Department of Natural Resources could expedite farmers' requests to use water from lakes and streams for irrigation. Also in 2007, the governor asked the U.S. Secretary of Agriculture to declare 52 counties, including Sauk County, as disaster areas.

Exhibit 5-12 shows the statewide average annual precipitation between 1895 and 2008 and the lowest annual precipitation recorded in the state for the same period. Over this period, the average annual precipitation was 31.4 inches per year on a statewide basis. There were 56 years when precipitation was below the average and 7 years when precipitation was less than 25 inches. The lowest average annual precipitation occurred in 1976 with 20.9 inches of precipitation.


Table 5-23.	Locations in and Near Sauk County with the Lowest
	Annual Statewide Precipitation Levels: 1895-2008

		Lowest Recorded Precipitation Levels						
	Statewide							
	Average	Precipitation	Difference	General				
Year	(Inches)	(Inches)	(Inches)	Location	County			
1888	28.24	23.07	5.17	Madison	Dane			
1895	22.60	13.54	9.06	Madison	Dane			
1905	35.44	25.49	9.95	Madison	Dane			
1958	24.18	15.41	8.77	Hillsboro	Vernon			
1962	28.47	18.79	9.68	Madison	Dane			
1966	26.62	18.52	8.1	Hillsboro	Vernon			
1975	32.40	25.04	7.36	Lone Rock	Sauk			
1983	34.57	24.81	9.76	Stoughton	Dane			
2002	35.22	25.36	9.86	Dodgeville	Iowa			

EX.html and www.aos.wisc.edu/~sco/clim-history/state/4700-R.html

On a more localized level, there have been 88 years when an area of the state with the lowest precipitation level received less than 25 inches of precipitation. As shown in Table 5-23, the lowest statewide precipitation levels occurred in Sauk County or an adjoining county on nine occasions.







Vulnerability Assessment

By most accounts, the 1987-1988 drought in Wisconsin was the most severe and is estimated to have a recurrence interval of about 75 years. All Wisconsin counties were eligible for drought assistance. Agricultural losses throughout the state totaled \$1.3 billion. More than half of the farms in the state suffered crop losses of 50 percent or more, with 14 percent experiencing a crop loss of 70 percent or more.

POTENTIAL FOR FUTURE LOSSES

Effects on Facilities and Population Groups – Unlike many of the other natural disasters addressed in this plan, drought conditions do not cause direct physical harm to people or destroy buildings and other structures.

Effects on Economic Sectors -- The two main concerns with drought relate to economic losses to agricultural crops and livestock and effects on ground water supplies available to both private and public water wells.

Farmers in the county produce a variety of products, including dairy, grain, cattle and calves, hogs and pigs, vegetables, nursery and greenhouse stock, and Christmas trees. In 2009, farm operators owned and managed more than 358,919 acres of land. Droughts would therefore affect a significant portion of the county and a significant economic sector.

During extended droughts, municipalities often see an increased water usage due primarily to increased use for lawns and gardens. It is important that municipal wells are properly sized for the number of residents they are intended to serve. At times, it may be necessary to impose water restrictions when there is concern that the available water supply may not be sufficient to meet basic needs.

Because municipal wells are generally concentrated in a relatively small area, extended droughts can affect the level of the water table. With decreased rainfall, the water table will naturally drop. Most public water wells draw from the deep aquifers and typically are not negatively affected. However, those wells serving an individual household are comparatively shallow and are more susceptible to a dropping water table, especially when located near a municipal well. It is estimated that about two-thirds of county residents receive their drinking water from a municipal system and the remaining one-third from a private well.

Effects on New Development – Aside from the potential of limiting the use of potable water for certain uses during drought periods, new development will be no more susceptible to drought than exists now.

Estimated Damage

It is estimated that a short-term drought over the course of a year would cause a loss in agricultural production in the range of \$25,000 to \$50,000. This estimate is based on an average loss of \$300 per acre over 83 to 166 acres.

15. SUMMARY OF RISK BY JURISDICTION

Table 5-21 presents a summary of current risk for each jurisdiction in Sauk County.

Since the last plan, there have been some minor shifts, primarily to flood risk. For example, the villages of Rock Springs and La Valle have experienced multiple flood events in a span of a few years and are in the early stages of defining a long-term solution including relocating existing business to more protected areas. In a similar way, some jurisdictions have seen minor shifts as lands are being annexed to cities and villages and removed from towns. As more buildings are constructed the potential for storm damage increases incrementally as well.

While most of the municipalities have grown in population, the following have experienced population decline in the last few years:

- Towns of La Valle, Reedsburg, and Troy
- Villages of La Valle and Rock Springs
- City of Wisconsin Dells

	Dam	Flooding	Dense		Hail-	Thunder-	Temp.	
	Failure	[2]	Fog	Tornado	storm	storm	Extremes	Drought
Town								
Baraboo	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
Bear Creek	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
Dellona	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
Delton	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
Excelsior	Low	High	Low	Medium	Medium	Medium	Medium	Low
Fairfield	Low	High	Low	Medium	Medium	Medium	Medium	Low
Franklin	Medium	Medium	Low	Medium	Medium	Medium	Medium	Low
Freedom	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
Greenfield	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
Honey Creek	Medium	Medium	Low	Medium	Medium	Medium	Medium	Low
Ironton	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
La Valle	Medium	High	Low	Medium	Medium	Medium	Medium	Low
Merrimac	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
Prairie du Sac	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
Reedsburg	Medium	Medium	Low	Medium	Medium	Medium	Medium	Low
Spring Green	Low	High	Medium	Medium	Medium	Medium	Medium	Low
Sumpter	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
Troy	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
Washington	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
Westfield	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
Winfield	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
Woodland	Medium	Medium	Low	Medium	Medium	Medium	Medium	Low
Village								
Cazenovia [1]	Low	Low	Low	Medium	Medium	Medium	Medium	Low
Ironton	Low	Low	Low	Medium	Medium	Medium	Medium	Low
Lake Delton	Low	Medium	Low	High	Medium	High	Medium	Low
La Valle	Low	High	Low	Medium	Medium	Medium	Medium	Low
Lime Ridge	Low	Low	Low	Medium	Medium	Medium	Medium	Low
Loganville	Low	Low	Low	Medium	Medium	Medium	Medium	Low
Merrimac	Low	Low	Low	Medium	Medium	Medium	Medium	Low
North Freedom	Low	High	Low	Medium	Medium	Medium	Medium	Low
Plain	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
Prairie du Sac	Low	Low	Low	Medium	Medium	Medium	Medium	Low
Rock Springs	Low	High	Low	Medium	Medium	Medium	Medium	Low
Sauk City	Low	Low	Low	Medium	Medium	Medium	Medium	Low
Spring Green	Low	High	Medium	Medium	Medium	Medium	Medium	Low
West Baraboo	Low	Medium	Low	Medium	Medium	Medium	Medium	Low
City								
Baraboo	Low	High	Low	Medium	Medium	Medium	Medium	Low
Reedsburg	Medium	High	Low	Medium	Medium	Medium	Medium	Low
Wisconsin Dells [1]	Low	Low	Low	High	Medium	High	Medium	Low

Table 5-21. Summary of Risk by Jurisdiction: 2019

Notes: 1. Municipality located in Sauk County and another county 2. See Section 6 of this chapter for detailed loss estimates.

16. SUMMARY OF DAMAGE ESTIMATES

Table 5-22 lists damage estimates for the various natural hazards reviewed in this chapter.

Table 5-22. Damage Estimates for Natural Hazards; Sauk County

Natural Hazard	Damage Estimate
Dam failure	Unknown
Flooding [1]	\$53.2 million (building loss)
Dense fog [2]	Minimal
Tornado – EF1	\$55,000
Tornado – EF2	\$1,225,000
Hail storm [2]	\$1,500
Thunderstorm [2]	\$33,000 property; \$5,000 crop
Winter storm [2,3]	Minimal
Extreme temperature – heat	Minimal
Extreme temperature – cold	Minimal
Drought - short-lived	0 property; \$25,000 to \$50,000 crop
Drought - long-lived	0 property; \$100,000-\$200,000 crop

Notes:

Based on a 100-year flood
 Estimates do not include damage to motor vehicle or other accident-related costs
 Estimate does not include snow plowing/removal costs. While potentially significant, these costs are included in local government budgets.