



## HIGHWAY DEPARTMENT

Patrick Gavinski, PE – Highway Commissioner

---

P.O. Box 26  
620 Linn Street  
Baraboo, Wisconsin 53913

*phone: 608-355-4855*  
*fax: 608-355-4398*  
*patrick.gavinski@saukcountywi.gov*

The Sauk County Ad-Hoc Highway Building Committee will accept sealed bids until 10:00 a.m. at the Highway Office on Monday, April 24, 2023 for one (1) Counterbalanced Sit-Down Electric Rider Lift Truck 5,000 LB Nominal Capacity @ 24" Load Center.

There will be no trade-in units included with this bid request.

All bids received must be marked "Sealed Bid for 5000 lb Fork Lift". Bid forms and specifications are available at the Sauk County Highway Dept. Office, 620 Linn St, P.O. Box 26, Baraboo, WI 53913.

Bids Shall be good for 45 days and approved at the April 27, 2023 Ad-Hoc Building Committee Meeting.

The Sauk County Ad-Hoc Highway Building Committee reserves the right to reject any or all bids or to accept the bid quotation they deem most advantageous to Sauk County.

By Order of the Ad-Hoc Highway Building Committee

Patrick Gavinski  
Sauk Co. Highway Commissioner

# BID PROPOSAL

Bid Sheet:

One (1) Counterbalanced Sit-Down Electric Rider Lift Truck 5,000 LB Nominal Capacity @ 24" Load Center

We propose to furnish and deliver Counterbalanced Sit-Down Electric Rider Lift Truck 5,000 LB Nominal Capacity @ 24" Load Center meeting specifications included in this bid proposal as follows:

Make: \_\_\_\_\_

Model: \_\_\_\_\_

Total Cost F.O.B., Baraboo Wisconsin  
Counterbalanced Sit-Down Electric Rider Lift Truck  
5,000 LB Nominal Capacity @ 24" Load Center  
Tax free \$ \_\_\_\_\_

**Delivery Date:** \_\_\_\_\_

The delivery date may be a factor in the awarding of this bid.  
This is to certify that the person or firm submitting bid on above has read the specifications and any questions regarding same are understood.

Signed: \_\_\_\_\_

Firm Name: \_\_\_\_\_

Address: \_\_\_\_\_

Telephone: \_\_\_\_\_

# BID PROPOSAL FORM

Counterbalanced Sit-Down Electric Rider Lift Truck  
5,000 LB Nominal Capacity @ 24" Load Center

ITEM	FORKLIFT SPECIFICATIONS	YES	NO
1	<b><u>ENTER MAKE AND MODEL</u></b>		
	Make - _____ Model - _____		
2	<b><u>CONSTRUCTION</u></b>		
	A) 5,000 LB Nominal Capacity @ 24" Load Center	<input type="checkbox"/>	<input type="checkbox"/>
	B) 36 Volt	<input type="checkbox"/>	<input type="checkbox"/>
	C) Key Switch Start	<input type="checkbox"/>	<input type="checkbox"/>
	D) Standard Construction - Operating Temperatures +32°F to +120°F	<input type="checkbox"/>	<input type="checkbox"/>
	E) Standard Performance	<input type="checkbox"/>	<input type="checkbox"/>
	F) 42.1" Overall Width	<input type="checkbox"/>	<input type="checkbox"/>
3	<b><u>POWERTRAIN OPTIONS</u></b>		
	A) UL Classification Type "E"	<input type="checkbox"/>	<input type="checkbox"/>
4	<b><u>Battery Compartment</u></b>		
	A) Battery Compartment - 30.9" Long x 39.1" Wide x 23.9" High	<input type="checkbox"/>	<input type="checkbox"/>
	B) Battery Removal without Rollers - Lift Out	<input type="checkbox"/>	<input type="checkbox"/>
	C) Front Shim Adjustable Battery Spacer from 2.5" to 4.0" (SPED)	<input type="checkbox"/>	<input type="checkbox"/>
5	<b><u>MAST</u></b>		
	A) 3-Stage Full Free Lift Mast, 189" Maximum Lift Height, 83" Max Height When Lowered	<input type="checkbox"/>	<input type="checkbox"/>
	B) Mast Tilt - 5° Forward / 5° Bac	<input type="checkbox"/>	<input type="checkbox"/>
6	<b><u>CARRIAGES &amp; ATTACHEMENTS</u></b>		
	A) 38.5" Wide - Class II - Hook Type	<input type="checkbox"/>	<input type="checkbox"/>
	B) 48" High Load Backrest Extension	<input type="checkbox"/>	<input type="checkbox"/>
	C) Integral Side shift Carriage	<input type="checkbox"/>	<input type="checkbox"/>
7	<b><u>FORKS</u></b>		
	A) 42" Long x 1.6" Thick x 3.9" Wide- Class II Hook Type - Standard Taper Forks	<input type="checkbox"/>	<input type="checkbox"/>
8	<b><u>HYDRAULICS</u></b>		
	A) 3 Function (1 Auxiliary) Hydraulic Control Valve	<input type="checkbox"/>	<input type="checkbox"/>
	B) Mechanical Lever Hydraulic Controls - Seat Side	<input type="checkbox"/>	<input type="checkbox"/>
9	<b><u>HOSES</u></b>		
	A) 1 Auxiliary Function Hose Group - 2 Hoses Internally Mounted	<input type="checkbox"/>	<input type="checkbox"/>
10	<b><u>WHEELS &amp; TIRES</u></b>		
	A) Drive Tires - 21 x 7 x 15 - Cushion - Standard Compound - Lug Tread - Standard Tread Width	<input type="checkbox"/>	<input type="checkbox"/>
	B) Steer Tires - 16 x 5 x 10.5 - Cushion - Standard Compound - Smooth Tread	<input type="checkbox"/>	<input type="checkbox"/>
11	<b><u>OPERATOR COMPARTMENT</u></b>		
	A) 88.5" (2248mm) Overhead Guard - Grid Style	<input type="checkbox"/>	<input type="checkbox"/>
	B) Display - High Mount - Mounted in Upper Right Corner of Overhead Guard	<input type="checkbox"/>	<input type="checkbox"/>
	C) Mirrors - Dual Side View - Mounted on the Left and Right Side of Overhead Guard	<input type="checkbox"/>	<input type="checkbox"/>
	D) Rear Drive Handle with Horn Button	<input type="checkbox"/>	<input type="checkbox"/>
12	<b><u>DIRECTIONAL CONTROL</u></b>		
	A) Column Mounted Directional Control Lever (SPED)	<input type="checkbox"/>	<input type="checkbox"/>
	B) On Demand Hydrostatic Power Assist Steering	<input type="checkbox"/>	<input type="checkbox"/>
	C) Park Brake - Manual - Foot Applied / Hand Released	<input type="checkbox"/>	<input type="checkbox"/>

# BID PROPOSAL FORM

ITEM	FORKLIFT SPECIFICATIONS	YES	NO
	D) Steering Wheel with Spinner Knob		
	E) Tilt Steering Column - Infinitely Adjustable within a 26 Degree Range - Gas-Spring		
<b>13 SEAT</b>			
	A) Full-Suspension Vinyl Seat		
	B) Seat Belt - Black - No-Cinch with ELR (Emergency Locking Retractor)		
<b>14 LIGHTS &amp; ALARMS</b>			
	A) Amber Strobe Light - Ignition Activated		
	B) Audible Alarm - Reverse Direction Activated - Factory Set to 87 dB(A) - Manually Adjustable to 87, 97 or 102 dB(A)		
	C) DC to DC Converter - Primary - For Factory Installed Options - 25 amps/300 watts @ 12 volts		
	D) Work Lights - LED Plastic Lens - 2 Front and 1 Rear		
<b>15 WARRANTY</b>			
	A) 12 Months / 2,000 Hours Manufacturer's Warranty, 36 Months/ 6,000 Hours Manufacturer's Powertrain Warranty		
<b>16 LITERATURE &amp; NAMEPLATES</b>			
	A) English Literature Pack and Labels		
<b>17 BATTERIES &amp; CHARGERS</b>			
	A) 1020 Amp Hour Battery with FULL 5 year warranty		
	B) Battery Charging System - Conventional - Includes Single Battery Connector Under the Hood		
	C) Battery Connector - Grey SB® 350		
	D) Lead-Acid Battery Power -- Truck Configured to Operate on Lead-Acid Battery Power		
	E) 36V Battery with Single Point Watering System and Fill Wand		
	3 Phase, 480V Charge		
<b>18 Delivery</b>			
	A) Delivered on or before 12/31/2023		
	B) Delivery Date: _____		

**BASE BID PRICE:** \_\_\_\_\_

\* Price must be delivered: including all Freight, Tariffs, Surcharges, Fees, Destination Charges, Dealer Prep, Local Delivery and Training to Sauk County Highway Department 620 Linn St. Baraboo WI.

<b>Optional Addition</b>			
A) Cost to add Side shifting Fork Positioner with 4-way hydraulics			
B) Is there a change in pervious delivery date with this option?	<table border="1" style="width: 100%; height: 20px;"> <tr> <td style="width: 50%;"></td> <td style="width: 50%;"></td> </tr> </table>		
C) If yes what is the delivery date with the Side shifting Fork Positioner			

