

March 1, 2023

Snowmobile Trail Improvements Clarifying Questions - Responses

1. Do you need anything other than page 16 for an official bid on the snowmobile trail improvement project?

We just need Part 5 (page 16) submitted.

2. What is the estimated construction budget?

The Wisconsin Department of Natural Resources awarded us a grant in the amount of \$40,000, which includes construction, any permitting, staff time, etc.

3. Is the construction timeframe flexible?

The construction could start anytime after March 21, 2023 and would need to be completed by November 30, 2023.

4. How do we submit bids?

Bids must be addressed to Jekka Alt, Sauk County Parks, S7995 White Mound Drive, Hillpoint, WI 53937. The words "SNOWMOBILE TRAIL IMPROVEMENTS" must be clearly marked on the sealed envelope.

5. When would I know when the bids are approved?

The Sauk County Land Resources and Environment Committee will discuss the bids received on March 9, 2023. If they award a bid, the Sauk County Board of Supervisors would approve on March 21, 2023. Please visit our website at https://www.co.sauk.wi.us/rfps after the bid opening on March 2, 2023 for a list of bids received.

6. Can you send me a list of bids received?

Please visit our website at https://www.co.sauk.wi.us/rfps after the bid opening on March 2, 2023 for a list of bids received..

7. What are the reasons for the trail improvements?

The trail travels on a hillside, causing severe erosion. Because of this erosion, the snowmobile trail groomer is not able to make it up the hill and it also creates a safety concern for trail riders.

8. If brush is to be cut, can we leave that in the woods?

Yes, brush may be left in the woods. Staff will be available for clarification.

9. If fill is needed, where is your existing stockpile within the park?

Fill is available near our shop, located towards the southwest area of White Mound County Park.

Jekka Alt Parks Operations Coordinator, Sauk County Parks + Recreation (608) 355-4800 jekka.alt@saukcountywi.gov